



### ANSWER KEY- LISTENING, READING AND WRITING (MEDICINE) FOR SAMPLE TEST 2

LISTENING SUB-TEST – ANSWER KEY PARTS A, B & C

### LISTENING SUB-TEST – ANSWER KEY

### PART A: QUESTIONS 1-12

- 1 heartburn (after meals)
- 2 bloating
- 3 constipation
- 4 (so) unpredictable
- 5 migraines
- 6 accountant
- 7 anxious
- 8 energy
- 9 fibre
- 10 dairy (products)
- **11** (extensive) food allergy tests
- 12 anti(-)depressants **OR** (an) anti(-)depressant

### PART A: QUESTIONS 13-24

- 13 stiff
- 14 (a) heat pad **OR** (a) heatpad
- 15 physio(therapy)
- 16 untreatable
- 17 chiropractic treatment
- 18 Baclofen
- 19 (an orthopaedic/orthopedic) chair **OR** (a) chair
- 20 botulinum toxin OR botox OR BTX
- 21 swallowing
- 22 (various) oral medications/meds
- 23 memory loss OR loss of memory OR amnesia
- **24** (a) pump

### LISTENING SUB-TEST – ANSWER KEY

### PART B: QUESTIONS 25-30

25	А	his blurred vision
26	В	The patient is worried about a procedure.
27	С	patients not discussing all their concerns when meeting the doctor
28	С	have the fewest risks for the patient.
29	В	benefit from a specific anaesthetic procedure.
30	В	the financial impact that they are likely to have

### PART C: QUESTIONS 31-36

31	С	to raise awareness of the symptoms of the illness
32	В	felt that he was too fit and well to be in need of it.
33	В	found it hard to cope with the wait for some results.
34	А	He found himself reacting in a way he hadn't anticipated.
35	С	a reluctance to talk about the embarrassing aspects of treatment
36	А	offer patients more personal aftercare.

### PART C: QUESTIONS 37-42

37	В	come from a wide variety of backgrounds.
38	В	enable them to deal with patients more quickly.
39	С	fails to distinguish between different possible triggers.
40	С	they may interact adversely with patients' other medication.
41	А	the unsuitability of opioids for patients with particular conditions.
42	С	he lacked experience in dealing with problems like hers.

---

END OF KEY

# OET

## READING SUB-TEST – ANSWER KEY PART A



### **READING SUB-TEST** – ANSWER KEY

20

supportive (treatment)

#### PART A: QUESTIONS: 1 - 20 1 D 2 С 3 В 4 D 5 А В 6 7 С 8 headache(s) hepatitis C OR hep C 9 ALF **OR** acute liver failure 10 11 renal failure (NOT: renal dysfunction) methionine 12 (activated) charcoal 13 14 speed of absorption 15 right upper quadrant nausea OR vomiting OR nausea and vomiting OR vomiting and nausea 16 17 enzyme-inducing 18 100 **OR** a hundred **OR** one hundred 19 12 OR twelve

# OET

## READING SUB-TEST – ANSWER KEY PARTS B & C

### **READING SUB-TEST** – ANSWER KEY

### PART B: QUESTIONS 1-6

1	С	can delegate responsibility for the cupboard keys to another ward.
2	А	give a valid reason for conducting it.
3	А	help maximise its efficiency.
4	В	They enable a patient to receive more of the prescribed medicine.
5	А	benefits to patients of using bedrails can outweigh the dangers.
6	А	They may be useful for patients who are not fully responsive.

### PART C: QUESTIONS 7-14

7	А	It was entirely preventable.
8	С	Staff focus their attention on a limited number of issues.
9	А	understands why healthcare employees have to make certain choices.
10	D	The information recorded on them does not always reflect reality.
11	D	lack of consistency
12	В	It isn't clear who ought to be tackling the situation.
13	В	illustrate a fundamental obstacle.
14	D	the approach they take to deal with challenges

### PART C: QUESTIONS 15-22

15	С	to illustrate the strange nature of migraine aura
16	В	did not result in a definitive conclusion.
17	С	the simultaneous occurrence of CSD and aura
18	А	migraine could cause a structural change.
19	D	the suggestion that infant colic may be linked to migraine
20	А	It fails to filter out irrelevant details.
21	В	a more positive aspect of the research.
22	В	They are unlikely to be permanent.

# OET

## **WRITING SUB-TEST** – SAMPLE RESPONSE

**INSTRUCTIONS TO CANDIDATES** 

You must write your answer for the Writing sub-test in the Writing Answer Booklet.

You must **NOT** remove OET material from the test room.

#### **Occupational English Test**

#### WRITING SUB-TEST: MEDICINE SAMPLE RESPONSE: LETTER OF REFERRAL

Dr Lisa Smith Endocrinologist City Hospital Newtown

10 February 2019

Dear Dr Smith,

Re: Mrs Priya Sharma DOB: 08/05/58

Thank you for seeing Mrs Priya Sharma, a type 2 diabetic, for further management of her blood sugar levels.

Mrs Sharma was diagnosed with NIDDM in 1999. She has been monitoring her BP and sugar levels at home since then. She has a strong family history of diabetes and is allergic to penicillin. Her weight is steady (BMI of 24) and an eye examination in October 2017 indicated no issues.

She initially presented on 29/12/18 concerned that her blood sugar levels were no longer well controlled. Her BP that day was 155/100 and her recent sugar levels were ranging between 6 and 18mmol/L. Her medication included metformin 500mg b.d. and glipizide 5mg x2 mane. I instituted Atacand 4mg x1 mane.

A pathology report received on 05/01/2019 showed HbA1c levels of 10% and GFR greater than 60ml/min. Her cholesterol was high (6.2).

On 12/01/19, I prescribed Lipitor 20mg mane. I also increased her metformin regime to 750mg b.d. Since then, her home-monitored BP has been within range and her cholesterol has fallen to 3.2. Her non-fasting blood sugars are 7-8mmol/L, but her fasting blood sugar levels are usually in the 16+ range, which is high. Therefore, I am referring her to you for your specialist advice.

Yours sincerely,

Doctor